

IPN Sleep Radar®

SPECIFIC TARGETS:

Recognizing and raising awareness of important factors influencing sleep health and regeneration ability. Identifying individual potentials for optimizing the general conditions and prerequisites for healthy, natural and restful sleep (sleep hygiene).

CONTENT:

- Determination of the daytime sleepiness index based on the ESS questionnaire
- Visualized, intuitive recording of individual habits and conditions in the context of sleep hygiene
- Evaluation by means of sleep radar diagram and output of software-supported recommendations
- Individual consultation with simulation (what if...?) and checklist
- Results and recommendations digitally available

HYGIENE PROTECTION CONCEPT:

Minimum distance 1.5 m, mouth-nose protection, hygienic protection screen, skin and surface disinfection, fever measurement (optional)


TIME REQUIRED:

20 minutes per person corresponding to 3 participants an hour

ORGANISATION:

Space required: ≥ 6 m², Power socket: 230 V
Please provide: 2 tables and 2 chairs

PREVENTION PRINCIPLE:
Prevention and detection of daytime sleepiness and health risks



CONTACTLESS

IPN Sleep Radar®

BACKGROUND:

Restful sleep is the third pillar of health - next to regular exercise and health-conscious nutrition. Those who ensure sufficient sleep promote **regeneration at night** in order to get through the day healthy and fit. Conversely, **lack of sleep** significantly increases the **health risk**: in the long run, it leads to increased susceptibility to stress, reduced immune defence, weakened concentration and performance as well as an increased risk of accidents.

PROCESS:

The participants mark the habits and general conditions (symbolised by icons) typical for them as well as their probability of occurrence and dimensions. **For reasons of hygiene protection, the trainer makes the entries**, the participants control the process on their own monitors. In this way, all relevant information on **sleep hygiene** can be obtained **very quickly and without contact**.

RESULTS:

In the first step, the **Daytime-Sleepiness-Index** is evaluated as a reference value (actual condition) for further counselling. In the second step, the **Sleep-Radar-Diagram** provides an overview of the factors influencing sleep health, how they should be individually assessed and what potential for improvement can be derived from this. In the third step, the participants have the opportunity to have the effects of **implementing individual recommendations** shown to them by simulation and to receive them as a checklist. On the basis of this didactic procedure, the motivation and the formation of concrete intentions as well as their implementation for the **promotion of sleep health** are to be supported sustainably.

